


# DIRECT GLAZED OPTIONS

(All details 1:2)


G




detail 59

Section G-G - Typical head/jamb


Section H-H - Head filler rail detail



Section J-J Mid-rial detail



Section K-K - Cill filler rail detail



– Fixed Dimensions -----Localised routing

Part No. T-DS5-XX-44 Title: Traditional slim - Outward opening doorset (44mm) Direct Glazed sidelight sections Date: 8-Apr-25 Scale: Rev: As shown

MKH

No.: T-DS5-XX-44-3

Drawn By:


**BARNSDALE** Est. 1884 -High Street, Donington, Spalding, Lincs, PE11 4TA

01775 823000


www.georgebarnsdale.co.uk

**GEORGE** 

K




# **ELEVATIONS** (All details 1:20)



## FRENCH DOOR OPTIONS

(All details 1:2)

Section N-N - French Meeting Rail Options



French door locking options

French Door Meeting Concealed Lock Option Sash height > 1853mm



STABLE DOOR DETAILS (All details 1:2)

Section P-P - Jambs

Section Q-Q - Stable door meeting


Section D-D - Concealed hinge option


143


59

84

98








- Fixed Dimensions

-----Localised routing

Drawn By:



Part No. T-DS5-XX-44 Title: Traditional slim - Outward opening doorset (44mm) French and Stable door details Date: 8-Apr-25 Scale:


MKH

No.: T-DS5-XX-44-5

**GEORGE** BARNSDALE Est. 1884 -

erances are to George Barnsdale Standard Tolerance definitions (see supporting document for more detail) unless stated on the drawing. ale & Sons Ltd. All rights reserved. No part of this drawing may be reproduced without the permission of George Barnsdale & Son Ltd.

High Street, Donington, Spalding, Lincs, PE11 4TA 01775 823000 www.georgebarnsdale.co.uk




# SECURITY CONTACTS (All details 1:2)


Typical head location

143

# Typical transom location



# Flush quick fit door contact details




erances are to George Barnsdale Standard Tolerance definitions (see supporting document for more detail) unless stated on the drawing. ale & Sons Ltd. All rights reserved. No part of this drawing may be reproduced without the permission of George Barnsdale & Son Ltd.


# **DOOR HINGE OPTIONS**

(All details 1:2)

## Standard




#### Concealed



Stable door lock and frame

French Meeting Timber Weather Bar

## Timber Weather Bar Edge



- Fixed Dimensions -----Localised routing

Part No. T-DS5-XX-44 Title: Traditional slim - Outward opening doorset (44mm) Internal use only Scale:

MKH

Date: 8-Apr-25 As shown No.: T-DS5-XX-44-7 Drawn By:

**GEORGE BARNSDALE** Est. 1884 -

High Street, Donington, Spalding, Lincs, PE11 4TA 01775 823000 www.georgebarnsdale.co.uk